



Featuring Costumes and Cobwebs by Club Hauer

Technique: Pieced

Skill Level: Intermediate

Finished Size: 57" x 61¹/₂" (1.45m x 1.56m)

Project designed by: Stacey Day

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting, it is recommended a sample is made to confirm accuracy.



FABRIC REQUIREMENTS (Tech edited by: Julie Kentner)

	Design	Color	Item ID	Yardage	Swatches			
Α	Ditsy Bats	Black	PWRH114.BLACK*	% yard (0.57m)	1737	200		
В	Costume Party	Black	PWRH115.BLACK	2½ yards (2.29m)	~~~ *) 	Ananay Comme
С	Jack of Diamonds	Orange	PWRH116.ORANGE	1½ yards (1.37m)		(00)	• ♦ ♦ ♦ ♦♦	
D	Cat Costumes	Panel	PWRH122.PANEL-24"	1 PANEL	Α	В	С	D
Е	Ink Blot	Black	PWRH124.BLACK	1 yard (0.91m)	well with the	SCHOOL S	0, 0	
F	Haunted Toile	Orange	PWRH125.ORANGE	1/3 yard (0.30m)	Miles and M. S. States			
G	Venus Eye Trap	Orange	PWRH127.ORANGE	% yard (0.34m)	tuck tuck	Same C		
* includes binding						F	G	

Backing (Purchased Separately)

44" (1.12m) wide

Pumpkin Party	Orange	PWRH121.ORANGE	4 yards (3.66m)

OR

108" (2.74m) wide 2 yards (1.83m)



ADDITIONAL REQUIREMENTS

- 100% cotton thread in colors to match
- 65" x 70" (1.65m x 1.78m) batting
- Template plastic
- Optional: starch/starch alternative



PREPARATION

Print or copy the Bias Square template pattern on page 10 at 100%/actual size. Measure to make sure it printed correctly, then trace onto template plastic and carefully cut out.

Note: If you prefer to fussy cut with an acrylic ruler, tape a cutout of the paper template to a square ruler, aligning 2 sides. You will have to rotate the ruler to cut all 4 sides.

Exact cutting is required to make the pieced border correct size.

CUTTING

WOF = Width of Fabric

- If desired, starch fabrics to be fussy cut and let dry before cutting to stabilize fabric.
- Handle bias squares carefully avoid stretching bias edges.

From Fabric A, cut:


(7) 21/2" x WOF for binding

From Fabric B, fussy cut:

(46) bias squares using the template on p. 10, as shown in the **Cutting Diagram** and in the following quantities:

- (5) vampires
- (6) skulls
- (7) each devils, jesters, pumpkins, witches, and ghosts

Fabric B Cutting Diagram



Fabric B fussy-cut cats in costumes

The ghost, pumpkin, and skull costumes are easy to find; here are details of the others.









Vampire (fangs)

Devil (horns)

Jester (pointed collar)

Witch (hat)



From Fabric C, fussy cut:

(15) 2" x WOF fussy cut with the black diamonds centered in the strips

From Fabric D:

Trim down evenly from each selvedge edge so the panel measures 40½" wide x 23" high.

If your panel is taller than 23", trim down to 23" following the Fabric D cutting diagram. If it is shorter, cut the Fabric G strips larger as noted on page 5 to make up the difference.

IMPORTANT NOTES About Fabric D PWRH122.PANEL Cat Costumes

- **Printing Error on Selvedge** The scissors symbol that normally shows where to cut is missing from the selvedge of this panel.
- Correct Cutting Placement Please cut between the Ghost block and the Jester Cat block where the space between blocks is larger. (See reference image for exact placement.)
- The pattern has been updated for Fabric D and throughout the cutting instructions. If you downloaded before 9/8/25, please download the revised version.

Fabric D Cutting Diagram





From Fabric E, cut:

- (3) 5¾" x WOF; subcut
 - (21) 5¾" squares, then cut on both diagonals into
 - (84) quarter-square triangles (QSTs)
- (1) 31/8" x WOF; subcut
 - (8) 31/8" squares, then cut on one diagonal into (16) half-square triangles (HSTs)
- (3) $1\frac{3}{4}$ " x WOF
- (3) 11/2" x WOF

From Fabric F, cut:

(2) 3¾" x WOF, then trim to 40½" long

From Fabric G, cut:

(2) $5 \times WOF$, then trim to $40\frac{1}{2}$ " long

Note: if your **Fabric D** panel is shorter than 23", divide the difference by 2 and add that amount to the height of each **Fabric G** strip. For example, if your panel is only 22½" high, you need an additional ½". Divided by 2, you will need to cut each **Fabric G** strip ¼" taller, i.e 5¼" x WOF.

INSTRUCTIONS


Notes:

- This pattern requires an accurate 1/4" seam allowance.
- You may want to test your seam allowance before beginning to sew.
- Press after each seam as directed.
- 1 Label the (46) **Fabric B** motifs as follows:
 - Devil B1
 - Jester B2
 - Pumpkin B3
 - Witch B4
 - Skull B5
 - Ghost B6
 - Vampire B7



Make Corner blocks for the 4 pieced borders using (8) Fabric E 5¾" QSTs, (16) Fabric E 3½" HSTs, and the following fussy-cut Fabric B squares: (2) each B1 and B6 and (1) each B2, B3, B4, and B5. Sew together, making sure fussy-cut motifs are right-reading following the text in the diagram below. Make sure to allow for a ½" offset when aligning triangles to squares. The finished Corner Blocks should measure 5" high, with no need to trim anywhere. Label each as shown in Figure 1. Press towards Fabric E.

Fig. 1



Sew a pair of 5¾" Fabric E QSTs to the top right and bottom left sides of the following fussy-cut **Fabric B** squares: (2) B1, (3) B2, B3, B4, B5, B6, and B7, keeping motif oriented right-reading as shown in Figure 2. Make sure to align the square corners of the triangles with the fussy-cut squares, and sew with the square towards the feed dogs to avoid stretching the bias edges. The finished unit should be 5" high, including seam allowances, when measured vertically through the center of the fussy-cut square. Press towards **Fabric E**. Make 20 total. Sew (10) together with Left Top and Right Top Corner Blocks in the order shown in **Figure 2** to make (1) Top Border. Sew the remaining (10) together with Left Bottom and Right Bottom Corner Blocks to make (1) Bottom Border. Top and Bottom Borders should each measure 5" x 54½".

Fig. 2





4 Sew a pair of 5%" **Fabric E** QSTs to the top right and bottom left sides of the remaining fussy-cut **Fabric B** squares, keeping motif oriented right-reading as shown in Figure 3. Press towards **Fabric E**. Make 18 total. Sew (9) together with Top Left and Bottom Left Corner Blocks as in **Figure 3** (shown right) to make (1) Left Side Border. Sew the remaining (9) together with Top Right and Bottom Right Corner Blocks to make (1) Right Side Border. Side borders should measure 5" x 50".

OUILT TOP ASSEMBLY

- Trim all the **Fabric F** and **G** WOF strips down to 40½" long.
- Sew the (3) **Fabric E** 1¾" x WOF strips together end to end, then cut into (2) 1¾" x 42½" top/bottom borders. Sew the (3) **Fabric E** 1½" x WOF strips together end to end, then cut into (2) 1½" x 44½" side borders.
- 7 Sew all the fussy-cut **Fabric C** WOF strips together end to end, trimming if desired through the orange diamonds at the ends to pattern match at the seams. From the continuous strip cut the following:

Horizontal sashing: (4) 40½" long

Inner border: (2) 47" and (2) 451/2" long

Outer border: (2) 59" and (2) 571/2" long

Fig. 3 Make 18 Left Border Right Border




- Referring to the **Quilt Layout** diagram on page 9, sew the 40½" long **Fabric C**, **F**, and **G** strips to the top and bottom of the **Fabric D** panel, matching ends and centers, and keeping all directional prints oriented right-reading, to make the quilt center (40½" x 44½" including seam allowances). Press all seams towards **Fabric C**.
- 9 Sew the remaining borders to the quilt center as shown in the diagram, starting with the left and right sides, then the top and bottom for each round of borders. Make sure the fussy-cut motifs are right-reading in each pieced border. Press towards **Fabric C** each time.
- the loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding right sides together. Trim seam to ¼" and press open. Finish sewing binding to quilt. Turn the binding to the back of quilt and hand-stitch in place.
- 13 If machine binding, complete the steps above only attach the binding to the BACK of the quilt, turn and press to the front of the quilt and machine stitch in place.

FINISHING


- 10 Sew together the 2½" **Fabric A** binding strips end to end using diagonal seams. Press seams open. Press the binding strip in half wrong sides together.
- 11 Layer backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired.
 Trim excess batting and backing even with the top after quilting is completed.
- 12 Leaving an 8" tail of binding, sew the binding to the top of the quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where



Quilt Layout







This square should measure 1" x 1" (2.54cm x 2.54cm) when printed.

*** Measure templates before cutting to confirm printing at 100%***

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.



IMPORTANT NOTES

About PWRH122.PANEL Cat Costumes

- Printing Error on Selvedge
 The scissors symbol that normally shows where to cut is missing from the selvedge of this panel.
- Correct Cutting Placement
 Please cut between the Ghost block and the Cat with Glasses block. (See reference image for exact placement.)
- Shrinkage Adjustment
 We've observed about 1" (2.54 cm)
 shrinkage on this panel, which is
 printed as a 24" (60.96 cm) repeat.
- Updated Instructions
 The Costume Party Quilt pattern has been revised to account for this cutting change and shrinkage adjustment.

