

Free Spirit 

Bohemian Chic Quilt

Featuring *Joyful* by Sarah Campbell

Technique: Pieced

Skill Level: Advanced Beginner

Finished Size: 73" x 88" (1.85m x 2.24m)

Finished Block: 12" x 12" (30.48cm x 30.48cm)

Project designed by: Stacey Day

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting, it is recommended a sample is made to confirm accuracy.

FABRIC REQUIREMENTS (Tech edited by: Alison M. Schmidt)

	Design	Color	Item ID	Yardage
A	Field Day	Blue	PWSH040.BLUE	2¼ yards (2.06m)
B	Charm	Black	PWSH041.BLACK	1⅞ yards (1.03m)
C	Gala	Black	PWSH044.BLACK	1½ yards (1.37m)
D	Zest	Multi	PWSH047.MULTI*	7⁄8 yard (0.80m)
E	Felicity	Red	PWSH048.RED	½ yard (0.46m)
F	Posy	Multi	PWSH049.MULTI	½ yard (0.46m)
G	Designer Essential Solid	Mist	CSFSESS.MISTX	3¼ yards (2.97m)

* includes binding

Backing (Purchased Separately)

44" (1.12m) wide

Breeze	Multi	PWSH045.MULTI	5½ yards (5.03m)
--------	-------	---------------	------------------

ADDITIONAL REQUIREMENTS

- 100% cotton thread
- 81" x 96" (2.06m x 2.44m) batting

Swatches



A

B


C



D

E

F



G



44"

CUTTING

WOF = Width of Fabric

From Fabric A, fussy cut:

- (18) $2\frac{5}{8}$ " x WOF; centered on rows of floral squares; then subcut
- (40) $2\frac{5}{8}$ " x $4\frac{3}{4}$ ", centered on floral squares
- (40) $2\frac{5}{8}$ " x 9", centered on floral squares

From Fabric B:

- (23) $1\frac{1}{2}$ " x WOF for stripsets

From Fabric C:

- (8*) $5\frac{1}{2}$ " x WOF for border
- *Cut 1 additional WOF strip if planning to join border strips with diagonal seams.*

From Fabric D:

- (10) $2\frac{1}{2}$ " x WOF for binding

From Fabric E:

- (4) $3\frac{7}{8}$ " x WOF; subcut
- (40) $3\frac{7}{8}$ " x $3\frac{7}{8}$ ", then cut in half diagonally into (80) triangles

From Fabric F:

- (3) $4\frac{3}{4}$ " x WOF; subcut
- (20) $4\frac{3}{4}$ " x $4\frac{3}{4}$ "

From Fabric G:


- (12) $3\frac{7}{8}$ " x WOF; subcut
- (120) $3\frac{7}{8}$ " x $3\frac{7}{8}$ ", then cut in half diagonally into (240) triangles
- (37) $1\frac{1}{2}$ " x WOF for stripsets

INSTRUCTIONS

All seam allowances are $\frac{1}{4}$ ". Press as directed or following arrows in diagrams.


- 1 Sew a **Fabric B** $1\frac{1}{2}$ " x WOF strip between (2) **Fabric G** $1\frac{1}{2}$ " x WOF strips to make a Light strip set measuring $3\frac{1}{2}$ " high. Make 17. From these, cut (49) $12\frac{1}{2}$ "-long Sashing Units. Additionally, cut (30) segments $1\frac{1}{2}$ "-wide for the leftovers from the already-cut strip sets and the remaining uncut strip sets. Label these Unit A.

Fig. 1




- 2 Repeat step 1, switching the placement of **Fabric B** and **G** strips to make 3 Dark Strip sets. Cut 60 segments 1½"-wide for Unit B.

Fig. 2




- 3 Sew a Unit A between (2) Unit B to make a Sashing 9-Patch. Make (30).

Fig. 3




- 4 Sew a **Fabric E** and a **Fabric G** 3⅞" triangle together along the long sides to make an HST Unit. Make (80). If needed, trim and square to 3½" x 3½", keeping the diagonal seam centered in the corners. Then sew a pair of **Fabric G** 3⅞" triangles to adjacent **Fabric E** sides as shown to make a total of 80 Unit C.

Fig. 4




- 5 Sew a pair of fussy-cut **Fabric A** 2⅝" x 4¾" strips to opposite sides of a **Fabric F** 4¾" x 4¾" square. Sew a pair of fussy-cut **Fabric A** 2⅝" x 9" strips to the remaining sides to make Unit D. Make (20).

Fig. 5




- 6 Sew (4) of Unit C and (1) Unit D together as shown to make a Block. Make (20) Blocks.

Fig. 6



- 7 Sew (5) Sashing 9-Patches and (4) Sashing Units together to make a Sashing Row. Make (6).

Fig. 7



QUILT TOP ASSEMBLY

- 8 Referring to the **Quilt Layout** diagram (page x), arrange the blocks in (5) rows of (4) Blocks each, with Sashing Units between each block and at each end of each row.
- 9 Sew the Blocks and Sashing Units together into Block Rows. Press towards the sashing.
- 10 Sew the Block Rows and Sashing Rows together, pinning at seam intersections, to complete the quilt center. Press all seams in the same direction.
- 11 Sew together all the **Fabric C** 5½" x WOF strips end to end. Cut (2) side borders 78½" long and (2) top/bottom borders 73½" long.
- 12 Sew the side borders to the sides of the quilt top, matching ends and centers. Press towards **Fabric C**, then sew the top/bottom borders to the top and bottom to complete the quilt top.

FINISHING

- 13 Sew together the 2½" **Fabric D** binding strips end-to-end with diagonal seams. Press seams open. Press the binding strip in half wrong sides together.
- 14 Layer backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top after quilting is completed.
- 15 Leaving an 8" tail of binding, sew the binding to the top of the quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where the loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding right sides together. Trim seam to ¼" and press open. Finish sewing binding to quilt.
- 16 Turn the binding to the back of quilt and hand-stitch in place.

Quilt Layout

